

ULTRABOX®

STYLE, INDOORS OR OUTSIDE*

*If sheltered from direct rain









SEAL OUT THE WEATHER

WATERPROOF SEAL, PLUG AND LOCK GASKET MAKES THE ULTRABOX PLUS FULLY WATERPROOF







ULTRABOX PLUS INCLUDES WATERPROOF LOCKS TYPE 2 OR 3 Request lock type at time of ordering.

See page 10 for the full range of locks.



SUITABLE FOR THE MOST CHALLENGING ENVIRONMENTS AND ALL WEATHER CONDITIONS









ULTRABOX INCLUDES LOCKS TYPE 1 OR 2

Request lock type at time of ordering. See page 10 for the full range of locks.













- **▶ NO ON-SITE ASSEMBLY**
- VANDAL RESISTANT
- **▶ RUST PROOF**





- ▶ WATERPROOF*
- ANTI-BACTERIAL
- ONE PIECE DESIGN **FOR A NEATER FINISH AND SPEEDY INSTALLATION**





AVAILABLE COLOURS FOR ULTRABOX LOCKERS

DOOR COLOUR

4 DOOR


BLUE RAL 5015

GREY RAL 7031

BODY COLOUR SPECKLED GREY









OPTIONAL WATERPROOF SEAL MAKES THE ULTRABOX PLUS FULLY WATERPROOF



HEAVY DUTY, VANDAL PROOF CONCEALED HINGES



COMPARTMENT DRAIN HOLE SITS NEATLY OUT OF SIGHT **BEHIND THE DOOR***



AFTER WASHING THE LOCKER THE SLOPING SHELF DIRECTS WATER TO THE DRAIN HOLE Drain hole is sealed on Ultrabox plus

*The drain hole is sealed on the Ultrabox Plus version

CHALLENGING ENVIRONMENTS







NO ASSEMBLY REQUIRED







ULTRABOX® STYLE, INDOORS OR OUT*

*If sheltered from direct rain





PERFORMS IN THE MOST CHALLENGING ENVIRONMENTS

SUITABLE FOR EXTREME ENVIRONMENTS AND ALL WEATHER CONDITIONS




















ULTRABOX[®] NESTING


All Ultrabox lockers can be securely nested with basic tools. The preformed guide indentation in each corner of the locker is simply drilled out with an 8mm drill bit, then a nut and bolt with a waterproof gasket is inserted in each hole creating a secure, waterproof connection between the lockers.





ULTRABOX SEATS & STANDS

A range of seats and stands are available for Ultrabox lockers keeping them off the ground for situations where there may often be standing water. Stands are available to accommodate 1, 2, 3 or 4 lockers and can be combined to hold as many lockers as you require.



CHALLENGING ENVIRONMENTS







ULTRABOX PLASTIC LOCKERS.CO.UK

MATERIAL SPECIFICATION



Product made from MDPE (Medium High Density Polyethylene)
Carcass, Doors and Shelves.

The Material can work in severe climatic conditions from -29°C to 40°C

ULTRA VIOLET PROTECTION (UV)



By adding a UV stabilizer HALS (hindered amine light stabilizer UV15) PE material can last up to 15 years in Northern Europe, but this can be time may be less in very harsh environment ie. (Deserts, or the ocean Pacific). This means that after 12 years in the Northern regions, 50% of the original mechanical properties are left. If no UV stabilizers are present then the product will become brittle over time and colours will fade.

PRODUCT GUARANTEE



Probe warrants to commercial and institutional purchasers only each new UltraBox locker unit purchased from us to be free from defects in materials and workmanship under normal use and service for a period of one year and be free from rust, delamination or breakage of any plastic components for a period of 10 years under normal use. This warranty is measured from the date of our invoices, upon the following terms and conditions:

This warranty is limited to replacing or repairing, at our option, transportation charges prepaid by the purchaser, any UltraBox locker unit or part therefore which our inspection shall show to have been defective within the limitations of this warranty.

This warranty does not cover installation labour charges and does not apply to any units that have been damaged by accident, abuse, improper installation, improper maintenance, or altered in any way.

ANTI-MICROBIAL RESISTANCE



Revolve N-272 protects your lockers from bacteria and the problems associated with bacteria. The antibacterial additive used is inorganic, and is able to inhibit the growth of bacteria, mold and yeast. The functional additive works from the inside out and prevents microbial growth in micro-cracks, dead spots and rough surfaces. Revolve N-272 protection gives better performance than the organic version since it is effective also against MRSA.

RECYCLING



The Material used in the production of the UltraBox Locker is able to be fully recycled The plastic recyclables are then shredded. These shredded fragments then undergo processes to eliminate impurities like paper labels. This material is melted and often extruded into the form of pellets, which are then used to manufacture other products.

FOOD GRADE



The material in this product is safe for food contact. The food safe symbol generally assures that the container surface is free of any toxic contaminants which could be contacted from the manufacturing process and that the material the container is made of shall not potentially become a source of toxic contamination through usage.

AVAILABLE COLOURS FOR ULTRABOX LOCKERS

DOOR COLOUR



BLUE RAL 5015

> YELLOW RAL 1028

GREY RAL 7031

BODY COLOUR

SPECKLED GREY RAL 7047

CCOMPARTMENT 5722mm CTEAR ENTRY 572mm 7812mm 7812mm

FULL HEIGHT LOCKER
HEIGHT 1800mm
WIDTH 325mm
DEPTH 450mm

CARE OF PRODUCT



CLEAR ENTRY

225mm

To provide plastic lockers with the proper care and maintenance, the following instructions must be followed: All surfaces should be cleaned with a mild liquid soap only. The finish should then be wiped and dried. In areas containing showers, either self-contained or tiled-in units, the lockers in these rooms must receive ventilation from the outside so that humidity can escape.

UNDER NO CIRCUMSTANCE SHOULD THE FOLLOWING AGENTS BE USED:

- Abrasive powder or scouring pads
- Ceramic tile cleaners

CLEAR ENTRY

225mm

26.5ka

FULL HEIGHT LOCKER


- Solutions containing more than 1% by volume of ammonia
- Solutions containing acids or lye
- Solutions containing enzymes


If the above instructions are adhered to our products provide years of dependable service. Probe Storage shall not accept responsibility for product failure if the above instructions are not followed.











MINI BOX LOCKER
HEIGHT 450mm
WIDTH 325mm
DEPTH 450mm

M DEPTH 450MM DEPTH 450MM

NO ASSEMBLY REQUIRED











16

FULLY WATERPROOF 666





Included in 'Ultrabox Plus' locker price. Request lock type at time of ordering.

WATERPROOF **HASP & STAPLE**

This design allows easy padlock fitting. Shank diameter min 5mm - max 7mm. Padlock sold separately.

O WATERPROOF

WATERPROOF CAM LOCK

This is a Waterproof Chlorine resistant high quality 7 pin tumbler system with a nickel silver key. Its all brass construction lends itself for use in harsh environments such as swimming pools.

Two keys are included with each standard lock.

- WATERPROOF
- **O CHLORINE RESISTANT**



DIGITAL COMBINATION LOCK 40.000 COMBINATIONS

- **O WATERPROOF**
- **O CHLORINE RESISTANT** O Simple to program
- O Batteries last up to 50,000 operations
- O Single user supplied as standard
- O Multi user option available (specify when ordering)



COIN/TOKEN -RETURN/RETAIN

These Waterproof and Chlorine resistant locks are available with coin denominations £/€ or tokens, for either return or retain.

- O WATERPROOF
- **O CHLORINE RESISTANT**

BUDGET 'DRY VERSION'



OPTIONAL ADJUSTABLE FEET FOR UNEVEN FLOORS



OPTIONAL SLOPING TOP PREVENTING THE ACCUMULATION **OF RUBBISH**

Sloping top increases the locker height by 150mm



OPTIONAL WATERPROOF SEAL MAKES THE ULTRABOX PLUS LOCKER FULLY WATERPROOF



WEATHER RESISTANT **



WATER RESISTANT CAM LOCK

Micro sprung 10 disc lock incorporating spring loaded weather shield. This lock features a massive 3000 serial combinations all exclusive to Probe



Two keys are included with each standard lock.

O WEATHER RESISTANT



RE-ENGINEERED RE-PROGRAMMABLE COMBINATION LOCK

Reprogrammable Combination Lock, tough Zinc Alloy housing and dials with 10,000 possible combinations. Lost codes reset with key, sold separately. Suitable for multi user applications.

O WEATHER RESISTANT





Suitable for the most challenging environments and all weather conditions

WEATHER **RESISTANT**



Suitable for indoors or out if sheltered from direct rain

NO WEATHER PROTECTION



For internal use where not exposed to water or chlorine

ULTRABOX PLUS



DRAIN HOLE SITS NEATLY OUT OF SIGHT BEHIND THE DOOR ALLOWING THE INSIDE TO BE JET WASHED AND THE WATER TO DRAIN Drain hole is sealed on Ultrabox plus



DRAIN TOWARDS THE DRAIN HOLE Drain hole is sealed on Ultrabox plus



DOUBLE COAT HOOK FITTED IN ALL TWO DOOR LOCKERS



OPTIONAL NUMBER PLATE



NO WEATHER PROTECTION @



RE-PROGRAMMABLE COMBINATION LOCK

multi user applications.

Re-programming using service key Easy to use front facing dial with 10,000 combinations. One Service Key required per installation, Service Key sold separately. Not recommended for



DIGITAL COMBINATION LOCK 40,000 COMBINATIONS

- O Simple to program
- O Batteries last up to 50,000 operations
- O Single user supplied as standard
- O Multi user option available (specify when ordering)
- O Emergency access using service key



BeCode Air+ **RFID Technology**

The BeCode Air+ only has to be 'shown the card' (or matching transponder) to operate. No external programming devices needed. 10,000 closings with one battery. It doesn't get any simpler.

SEAL OUT THE WEATHER

WATERPROOF SEAL, PLUG AND LOCK **GASKET MAKES THE ULTRABOX PLUS FULLY WATERPROOF**[†]

[†]We recommend the use of weather resistant or waterproof locks